Ultra Luxury Apartments



A development by BBRL & DKV



<u>www.dkaindia.ir</u>










BALCONY 2 6' WOE

BALCONY 3 6'







THIRD FLOOR PLAN









back side ground	d floor 2bed		947.21 sft
2 bed , living, garden			110.39 sft
ground floo	or 645.81		
			1057.6 sft
share of lift lobby	161.4		
servants	40		
basement multipurpos	se hall 100		
garden	334.52	2 at 33%	
car park	1		





DN BATHROOM 7'11"X5'10" BEDROOM 14'2"X18'4" BALCONY 2' 5" WIDE

Duplex upper level – second floor

FIRST FLOOR PLAN

Cubbon road side first and second floor duplex 2265.57 sft						sft
3 bed , hometheater, 2 living, servants						
first floor		1449.37				
second flo	or	514.8				
share of lift lobby		161.4				
servants		40				
basement multipurpose	hall	100				
car park		1				








Back side first a	2380.82 sft		
3 bed , hometheater,	2 living, servants		
first floor	1436.46	i	
second floo	or 642.96	i	
share of lift lobby	161.4		
servants	40		
basement multipurpo	se hall 100		
car park	1		

Duplex upper level – second floor





Cubbon road side second and third floor duplex 2371.73 sft 3 bed, hometheater, 2 living, garden, servants second floor 715.38 plus garden 372.83 sft third floor 1354.95 share of lift lobby 161.4 2744.56 sft servants basement multipurpose hall 100 penthhouse garden 1129.8 at 33% car park



Duplex Lower level – second floor





Duplex Upper level – third floor

Cubbon road si	de secor	nd and t	hird flo	or duplex	2371.73	sft
3 bed , hometheater,	2 living, ga	rden, serva	nts			
second floo	or	715.38		plus garden	372.83	sft
third floor		1354.95				
share of lift lobby		161.4			2744.56	sft
servants		40				
basement multipurpo	se hall	100				
penthhouse garden		1129.8	at 33%			
car park		1				



Duplex Lower level – second floor





	35 CURRON ROAD				
	25 CUBBON ROAD				
	Technical Specifications for APARTMENTS				
	Structure				
Structure	RCC Framed Structure with Masonry Partitions- Height of floor to floor -3.6m				
Internal Masonry	100 mm. Thick internal walls in Solid Cement Block masonry.				
External Masonry	200 mm. Thick internal walls in Solid Cement Block masonry.				
Plaster- Internal	Trowel finished - 12mm thick				
Plaster - External	2 coats of external plaster - 24mm finished smooth.				
Paint-Internal	·				
External	Interior surfaces shall be finished with BIRLA Putty+Acrylic Emulsion Paint Exterior Emulsion Paint.				
external					
	Engineered Wood Cladding as per Elevation fundermax				
Dellin	Louvers as per Elevation - MS frame and Fundermax				
Railings	Combination of MS/ Glass / SS as per the Elevation feature				
	Flooring & Dado				
Ground Floor	Trooting & State				
Entrance Steps and Entry Porch	Antique /Leather Finished Granite				
Entrance Steps and Entry 1 oren	Thingse / Section Thissied Grante				
Living, Dining	Option 01 - BOTTOCHINO / IMPORTED MARBLE				
	Option 02 - KASHMIR WHITE GRANITE				
Kitchen	Premium Vitrified Tiles				
	Kitchen in Granite Platform with Stainless S Sink and Ceramic Tiles upto 2'0:				
Utility / Store (Indoor)	Ceramic Tiles				
Utility Yard (out door)	Anti Skid Cermaic Tiles				
Ground Floor BedRoom	Premium Vitrified				
Guest Toilet	Virtrified Matte Finish Tiles for the Floor and for Dado upto 7'0"				
Deck Area	Stamp Concrete in Wood Finish Pattern				
Steps to First Floor	RCC Single stringer with RCC treads and open risers and natural stone for treads				
First Floor					
Family Space	Premium Vitrified Tiles 1m x 1m				
Home Theatre	Premium Textured Wood Finish Vitrified				
Master Bedroom	Laminated Wooden Flooring				
M Bed Dress	Laminated Wooden Flooring for continuity				
M Bed Toilet	Premium matt Finish Vitrified				
First Floor bedroom other	Premium Textured Wood Finish Vitrified				
FF Toilet	Virtrified Matte Finish Tiles for the Floor and for Dado upto 7'0"				
Lounge Area	Premium Textured Wood Finish Vitrified				
Balconies	Rustic Finish Ceramic Tiles				

	Sanitary & Plumbing			
Water Closets	Duravit / American Standard / Roca or Equivalent			
Flushing	Concealed cistern			
CP Fittings	Jaquar or Equivalent			
Bathroom accessories	Towel rings in all bathrooms, towel rack , soap dish , toilet paper holder, all Jaquar or Equivalent.			
Water Supply	Superior quality Gi(external Lines) and PPR / CPVC for Internal Lines, all pressure tested in accordance to Bureau of Indian Standards			
Sanitary and Rain Water	Superior quality PVC Piping			
	Electrical			
Wiring	Concealed Copper Wiring with Flame Resistant Low Smoke (FRLS), PVC insulated wires of superior range			
Switches	Modular Switches of Superior Brand like Anchor Roma or Equivalent			
	MCB with ELCB provided for each villa INDO Asian or eq.			
TV & Telephone Points	in Living and Master Bed Rooms			
Intercom	Intercom Facility to all units via EPABX connected to Security			
	Doors & Windows			
Frames	All door frames shall be in finger jointed natural timber or equivalent hardwood.			
Entrance Door	TEAKWOOD			
Internal Doors - Main	both side veneer			
Internal Doors -Toilet	ready made flush doors			
External - Doors & Windows	UPVC			
Grills	Provided			
Mosquito Screens	Provided			
Hardware	All hardware provided shall be in brush finished stainless steel.			
	HVAC			
Air Conditioners	Provision of Split A/c with Surge Protector Power Point			
Exhaust Fan	Provision of Electrical Point for Exhaust Fan in Toilets and Kitchen			
Kitchen Chimney	Provision of Electrical Point for Electrical Chimney in Kitchen			
,	· ·			
	Swimming Pools			
Swimming Pools	NA CONTRACTOR			
- 1 0 11	Special Features			
False Ceiling	Gyproc False Ceiling in All Toilets			
	Security			
Security	Round the clock Security Monitoring			
CCTV	CCTV shall be provided for External Yard coverage at Security Booth			
	Utilities and Services			
Generator Back Up	100% DG Backup for common area and individual aparments, DG consumption shall be charged a applicable.			
D =	Provided			
Borewell				

